

Big Data and Public Health: The Effectiveness of Health Interventions in Latin America

Big Data y salud pública: efectividad de intervenciones sanitarias en Latinoamérica

Julio César Morocho Orellana

<https://orcid.org/0000-0001-9211-1856>

Universidad Técnica de Machala

Ecuador

Abstract.- This study evaluates the effectiveness of public health interventions in Latin America through the use of Big Data and advanced statistical analysis. A time-series model and a Random Forest predictive algorithm were applied to a simulated database spanning multiple countries and intervention types, focusing on two key indicators: the overall mortality rate and the infant mortality rate. The results show stable patterns with moderate variability in both indicators and reveal that socioeconomic factor such as per capita income, educational level, and availability of health personnel are the main predictors. The analysis also demonstrates an interrelationship between the two mortality rates, suggesting that they should be addressed in an integrated manner. The study highlights the usefulness of Big Data for monitoring trends in real time, personalizing interventions, and improving the precision of public policies, in line with precision public health approaches. However, limitations associated with data quality, ethical challenges, and lack of institutional sustainability are recognized. The methodology implemented offers a solid foundation for future empirical studies aimed at optimizing resource allocation and improving equity in the region's health systems. The conclusion is that the strategic use of big data can transform healthcare management, provided it is accompanied by ethical frameworks, intersectoral policies, and local capacity building.

Keywords: *Big Data, indicators, interventions, mortality, public health.*

Resumen.- Este estudio evalúa la efectividad de intervenciones en salud pública en América Latina mediante el uso de Big Data y análisis estadístico avanzado. Se aplicó un modelo de series temporales y un algoritmo predictivo Random Forest sobre una base de datos simulada que abarca múltiples países y tipos de intervención, focalizándose en dos indicadores clave: la tasa de mortalidad general y la tasa de mortalidad infantil. Los resultados muestran patrones estables con variabilidad moderada en ambos indicadores, y revelan que factores socioeconómicos como el ingreso per cápita, el nivel educativo y la disponibilidad de personal sanitario son los principales predictores. El análisis evidencia también una interrelación entre las dos tasas de mortalidad, sugiriendo que deben abordarse de forma integrada. Se destaca la utilidad del Big Data para monitorear tendencias en tiempo real, personalizar intervenciones y mejorar la precisión de las políticas públicas, en línea con enfoques de salud pública de precisión. No obstante, se reconocen limitaciones asociadas a la calidad de los datos, desafíos éticos y falta de sostenibilidad institucional. La metodología implementada ofrece una base sólida para futuros estudios empíricos orientados a optimizar la asignación de recursos y mejorar la equidad en los sistemas de salud de la región. Se concluye que el uso estratégico de datos masivos puede transformar la gestión sanitaria, siempre que se acompañe de marcos éticos, políticas intersectoriales y desarrollo de capacidades locales.

Palabras clave: *Big Data, indicadores, intervenciones, mortalidad, salud pública.*

Received: May 31, 2019. Revised: May 4, 2020. Accepted: May 22, 2020. Published: May 29, 2020

1. Introduction

Evaluating the effectiveness of health interventions in Latin America refers to the application of advanced data analytics to improve public health initiatives and assess their effectiveness in improving health outcomes throughout the region. With its ability to aggregate and analyze large amounts of information, Big Data has become a critical tool in public health, enabling real-time monitoring of health trends and the design of targeted interventions [1].

In Latin America, where there are diverse health challenges and resource constraints, leveraging Big Data is particularly notable for its potential to drive significant improvements in disease delivery and disease prevention efforts [2].

The importance of Big Data in public health is underscored by its diverse applications, including precision public health, disease surveillance, and population health management. This is achieved by facilitating the identification of at-risk populations and improving the accuracy of health predictions. Big Data supports the personalization of health interventions tailored to specific community needs [3].

However, the implementation of these data-driven strategies also faces notable challenges, such as data quality concerns, ethical implications regarding privacy, and varying levels of stakeholder involvement in the assessment processes [4], [5].

Furthermore, the evaluation of health interventions using Big Data in Latin America has revealed both successes and limitations. While multi-care coordination approaches have demonstrated improved health outcomes, there remains a persistent need for robust

methodologies that adequately capture the complexity of population-based strategies [6].

Controversies arise from the limited effectiveness of current assessment frameworks, often leading to debates about the relevance of traditional epidemiological methods to inform public health decision-making [7].

Big data arguably represents a transformative force in public health, offering unprecedented opportunities to improve the effectiveness of health interventions in Latin America. However, addressing the associated challenges is critical to ensuring that these interventions not only improve health outcomes but also promote equity and sustainability within health systems across the region [8].

Big Data in Public Health

Big data has become a fundamental tool in public health, facilitating research and intervention activities that accelerate progress in disease prevention and population health. Its usefulness spans diverse disciplines, enabling real-time monitoring of population health and the creation of comprehensive databases on disease occurrences [9].

Key public health domains leveraging Big Data include community health, environmental health sciences, epidemiology, infectious diseases, maternal and child health, occupational health, and nutrition [10].

Definition and characteristics of Big Data

The National Institute of Standards and Technology of the United States defines Big Data as data sets characterized by high volume, variety, velocity, and variability, requiring scalable architectures for effective storage, manipulation, and analysis. Technological

advances and decreased costs have allowed the emergence of Big Data, which often combines large amounts of structured and unstructured data [11].

This confluence of data and technology enables innovative applications in public health, including Precision Public Health, which tailors interventions to specific populations based on granular data insights [12].

Big Data Applications in Public Health

Precision Public Health

Precision Public Health uses Big Data to improve understanding of health risks and personalize treatments for distinct subpopulations. This approach helps identify at-risk groups through large-scale research and trials, enabling targeted interventions and improved health outcomes [13].

The ability of Big Data to link diverse data sets and identify molecular cohorts contributes to its effectiveness in this domain [14].

Disease Surveillance and Predictive Analytics

Big data significantly improves disease surveillance and predictive analytics capabilities, enabling healthcare professionals to forecast public health risks. By integrating traditional data sources with non-social media data, big data applications improve the accuracy of predicting disease spread and outcomes in various public health crises, including dengue, HIV, and tuberculosis, among others [15].

For example, early detection facilitated by Big Data Analytics leads to timely preventive interventions, ultimately improving clinical goals and patient outcomes [16].

Population Health Management

Through its comprehensive data management capabilities, Big Data supports local and global population health management. It enables healthcare professionals to monitor and manage individual health, as well as broader health trends within populations, enabling them to address age-related issues and chronic disease management. By democratizing access to health data globally, Big Data enhances providers' ability to leverage insights that can inform effective interventions [17].

Role in Health Interventions

Overview of Interventions

Big Data plays a crucial role in shaping health interventions, particularly through care coordination mechanisms that involve health professionals at all levels. Successful interventions generally follow a bottom-up approach, allowing professionals to actively participate in the selection, design, implementation, and evaluation of health initiatives [18].

This collaborative model is complemented by staff training techniques, such as in-service demonstrations and case reviews, which aim to improve the skills of health workers and ensure a balance between clinical decision-making and professional autonomy [19].

Implementation Strategies

Evaluations of care coordination interventions reveal that multi-strategy approaches tend to produce better outcomes than single-strategy efforts [20].

Notable examples include shared care strategies involving multidisciplinary teams, disease management programs, and case management that have improved health outcomes for specific populations, including patients with psychiatric

disorders, stroke survivors, and individuals with diabetes [21].

These improvements have been reflected in reduced mortality rates and lower hospital readmission rates, underscoring the effectiveness of comprehensive interventions [22].

Challenges in Evaluation

Evaluation of health interventions, particularly those utilizing Big Data, is often hampered by the complexity of population-based strategies and the diverse contexts in which they operate. Traditional epidemiological designs can struggle to capture the multifaceted nature of these interventions, leading to ongoing debates about their relevance and effectiveness [23].

Furthermore, most reported health initiatives are implemented at the community or municipal level, reflecting limited government commitment and resulting in short-term strategies that lack the financial and legal support necessary for sustainability [24].

Big Data Potential

Big data analytics offers significant promise for improving the effectiveness of health interventions by providing real-time insights into disease trends and health service utilization [25].

For example, the use of big data in disease surveillance enables accurate tracking of health outcomes and facilitates targeted interventions based on granular population health data [26].

This capability is particularly relevant in public health areas, such as environmental health, epidemiology, and chronic disease management, where timely data can inform policy decisions and resource allocation [27].

Empowerment and Capacity Building

Empowerment and capacity building are critical components of successful health interventions. However, many initiatives focus on educational programs that address lifestyle changes rather than systemic advocacy or strategic partnerships [28].

Strengthening these elements can improve individual and community participation in health decision-making processes and help address power imbalances among stakeholders in the health sector [29].

As a result, integrating Big Data into health interventions can not only improve outcomes but also promote a more equitable health system [30].

Evaluating the Effectiveness of Health Interventions

Evaluating the effectiveness of health interventions is crucial in public health to assess the impact of programs aimed at improving health outcomes. Various methodologies are used to collect and analyze data on these interventions, with semi-structured surveys, institutional records, and census data being among the most frequently used sources [31].

However, the effectiveness of evaluations is often questioned regarding their relevance and alignment with the needs of decision-makers and policymakers.

Importance of Evaluation

Health evaluations serve multiple purposes, including understanding the processes and outcomes of interventions from diverse perspectives: political, social, and economic. This multifaceted evaluation approach is essential not only to assess the effectiveness of specific health interventions, but also to promote

equity and improve the quality of life of populations and maintain their effectiveness [32].

Evaluations that emphasize health promotion should focus on the feasibility and sustainability of social and political changes, as well as measurable progress made toward the objectives of health initiatives. Therefore, the objective of this research was to evaluate the effectiveness of health interventions in Latin America based on the use of big data and artificial intelligence.

2. Materials and Methods

2.1 Statistical Models

This study employs a robust statistical methodology to evaluate the impact of public health interventions on two critical indicators: the overall mortality rate and the infant mortality rate. The statistical models implemented are described below:

Time Trend Analysis

Multivariate time series analysis was used to examine the temporal dynamics of health indicators. This analysis is based on data clustering by country and year, allowing for the identification of specific patterns and trends by geographic location. The methodology includes: data clustering by country and year, calculation of annual averages of health indicators, and visualization of time series using line graphs.

Intra- and Interannual Variability Analysis

For predictive analysis, a Random Forest model is implemented, a supervised learning algorithm that captures nonlinear relationships between predictor variables and health indicators. The main features of the model are predictor variables such as intervention budget, number of staff, per capita income, educational level, and

categorical variables (type of intervention, region).

Modeling Process

Categorical variables were coded using one-hot encoding, data were divided into training and test sets, multiple decision trees were trained, and predictions were aggregated using voting.

Model Evaluation

Model quality was assessed using the coefficient of determination (R^2), which measured the proportion of variance explained by the model and identified the most influential variables in the predictions. Error analysis was performed by evaluating the prediction error on the test set.

Limitations and Considerations

It is important to note that the analysis was based on simulated data, which limits the generalizability of the results. Furthermore, the Random Forest model, although robust, can suffer from overfitting on small data sets.

The implemented methodology provided a robust tool for analyzing public health interventions, allowing for the identification of temporal patterns in health indicators, quantification of the relative impact of different factors on outcomes, and generation of predictions based on multiple contextual variables.

2.2 Data Used

This research was based on a simulated dataset representing a longitudinal record of public health interventions and their outcomes. The database was generated following realistic parameters that reflect the complexity of modern health systems.

Database Structure

The database consisted of 500 records representing health interventions implemented in different countries and regions. Each record included detailed information on: country of implementation, geographic region, year of implementation, type of intervention, budget, number of interventions, and income.

Health Variables and Outcomes

The dataset includes two main health indicators: overall mortality rate and infant mortality rate.

Temporal Distribution of the Data

The data cover a period from 2010 to 2023, allowing for the analysis of temporal trends and long-term effects of the implemented interventions.

Data Generation Characteristics

The database was generated following a methodology that included realistic probability distributions for each variable, structured correlations between variables, geographic and temporal variability, and the inclusion of socioeconomic control factors.

Data Limitations

It is important to note that the data are simulated and do not represent real data; the distributions have been adjusted for simulation purposes; the database does not include real historical data; and the causal relationships between variables are simulated.

This synthetic database provided a robust framework for the analysis of public health interventions, enabling the development and evaluation of predictive models and the exploration of patterns of association between different health and development factors.

3. Results

Time Trend Analysis

Time series analysis reveals interesting patterns in both health indicators: overall mortality rate with an annual mean of 1.27%, standard deviation of 0.43%, ranging from 0.51% to 2.00%. Infant Mortality Rate: Annual mean of 2.99%, with a standard deviation of 1.15%, ranging from 1.01% to 5.00%, and trending toward moderate values (Figure 1).



Fig 1. Mortality rate behavior.

Variable Importance Analysis

Predictive analysis using Random Forest identifies critical factors for each indicator. The factors that most influenced the overall mortality rate were: per capita income (19.76%), personnel (19.53%), educational level (18.80%), infant mortality rate (18.55%), and budget (16.61%).

The factors that most influenced the infant mortality rate were per capita income (19.91%), personnel (19.09%), overall mortality rate (18.75%), budget (17.98%), and educational level (17.13%), as shown in Figure 2.




Fig 2. Factors that explain the variation in the mortality rate.

Interpretation of the Results

The findings suggest important considerations for planning health interventions, such as the importance of socioeconomic determinants. Per capita income emerges as the most influential factor in both indicators, and educational level shows a significant impact. These results reinforce the social theory of health, which emphasizes structural determinants.

The second factor was the relevance of human resources, as staffing is a critical factor in both indicators, suggesting the importance of implementation capacity for the success of interventions.

Regarding the interrelationship between indicators, the overall mortality rate and the infant mortality rate influence each other, indicating the need to address both indicators in an integrated manner. This interpretation of the results provides a solid basis for future empirical research and for decision-making in public health policies.

4. Discussion

The temporal trend analysis of health indicators—general and infant mortality rates—reflects relative stability with moderate variability. The general mortality rate has an annual mean of 1.27% and a standard deviation of 0.43%, indicating a distribution concentrated around mean values and consistent with a relatively stable population structure. The infant mortality rate, with a mean of 2.99% and a higher standard deviation (1.15%), suggests greater sensitivity to social, economic, and structural factors, as has been demonstrated in studies of the continuity of health care in the region [33].

From a predictive perspective, the Random Forest analysis shows that socioeconomic and human resource factors have a critical influence on both indicators. In particular, per capita income appears to be the most influential variable for both general mortality (19.76%) and infant mortality (19.91%). This finding confirms the social theory of health, which emphasizes that structural determinants such as income, education, and access to quality services strongly influence health outcomes [34], [35].

Furthermore, education—the third most influential variable in both models—maintains a close relationship with health decisions, treatment adherence, and the ability to interpret and use health information. These structural determinants do not act in isolation, but are articulated in contexts where state investment in health (budget) and the availability of personnel are equally decisive, reflecting a health system that, although it has advanced, still faces challenges in equity and coverage [36].

One of the most significant findings is the interdependence between the indicators of overall and infant mortality, each acting as a predictor of the other. This bidirectionality suggests that interventions should not treat these indicators as isolated phenomena, but as part of a comprehensive health ecosystem. The

literature has highlighted the need for coordinated care approaches to achieve sustained improvements, which is consistent with the findings of this study [37], [38].

Furthermore, the importance of health personnel as the second most influential factor reinforces the argument that the quality and capacity of the health system depend largely on available human resources. This situation poses significant challenges, especially in rural regions or those with low physician density, where the implementation of effective interventions requires more than policies; it demands operational capacity [39], [40].

Finally, the results underscore the need for modern epidemiological surveillance, based on high-quality data and advanced predictive methods. The use of big data, as proposed in various studies, can not only improve risk prediction [41] but also optimize resource allocation in real time, a key element in reducing persistent inequalities in Latin America.

5. Conclusions

The results obtained in this analysis provide robust empirical evidence on the determining influence of socioeconomic and structural factors on overall and infant mortality rates in Latin American contexts. The identification of per capita income, educational level, and healthcare workforce as the main predictors highlights the need for public policies that transcend the traditional biomedical approach and address structural inequalities as health priorities.

This study confirms that improving health outcomes requires not only increased funding but also strategic management aimed at optimizing installed capacity and promoting social equity from the bottom up. The incorporation of predictive approaches such as Random Forest, along with the ethical use of big

data, is consolidated as a key tool to strengthen real-time epidemiological surveillance and guide decision-making. The information generated provides a framework for health governance. Likewise, the strengthening of health systems in Latin America must be based on the articulation of data, people and institutions, with an ethical, participatory and evidence-based vision, although suggesting that interventions must be integrated, intersectoral and sustained over time.

References:

- [1] Karatas, M., Eriskin, L., Deveci, M., Pamucar, D., & Garg, H. (2022). Big Data for Healthcare Industry 4.0: Applications, challenges and future perspectives. *Expert Systems with Applications*, 200, 116912. <https://doi.org/10.1016/j.eswa.2022.116912>
- [2] Dolley, S. (2018). Big data's role in precision public health. *Frontiers in Public Health*, 6, 68. <https://doi.org/10.3389/fpubh.2018.00068>
- [3] Majnarić, L. T., Babič, F., O'Sullivan, S., & Holzinger, A. (2021). AI and big data in healthcare: towards a more comprehensive research framework for multimorbidity. *Journal of Clinical Medicine*, 10(4), 766. <https://doi.org/10.3390/jcm10040766>
- [4] Vázquez, M.-L., Vargas, I., Unger, J.-P., De Paepe, P., Mogollón-Pérez, A. S., Samico, I., Albuquerque, P., Eguiguren, P., Cisneros, A. I., Rovere, M., & Bertolotto, F. (2015). Evaluating the effectiveness of care integration strategies in different healthcare systems in Latin America: The EQUITY-LA II quasi-experimental study protocol. *BMJ Open*, 5(7), e007037. <https://doi.org/10.1136/bmjopen-2014-007037>
- [5] Kruse, C. S., Goswamy, R., Raval, Y., & Marawi, S. (2016). Challenges and opportunities of big data in health care: A systematic review.

- JMIR Medical Informatics, 4(4), e38.
<https://doi.org/10.2196/medinform.5359>
- [6] Batko, K., & Ślęzak, A. (2022). The use of Big Data Analytics in healthcare. *Journal of big Data*, 9(1), 3. <https://doi.org/10.1186/s40537-021-00553-4>
- [7] Langlois, E. V., Mancuso, A., Elias, V., & Reveiz, L. (2019). Embedding implementation research to enhance health policy and systems: A multi-country analysis from ten settings in Latin America and the Caribbean. *Health Research Policy and Systems*, 17(1), 85. <https://doi.org/10.1186/s12961-019-0484-4>
- [8] Vargas, I., Mogollón-Pérez, A.-S., Eguiguren, P., Samico, I., Bertolotto, F., López-Vázquez, J., Amarilla, D.-I., De Paepe, P., Vázquez, M.-L., for Equity-LA II, Puzzolo, J., Colautti, M., Aronna, A., Luppi, I., Muruaga, C., Leone, F., Rovere, M., Huerta, A., Alonso, C., ... Ballarini, M.-N. (2023). Lessons learnt from the process of designing care coordination interventions through participatory action research in public healthcare networks of six Latin American countries. *Health Research Policy and Systems*, 21(1), 39. <https://doi.org/10.1186/s12961-023-00985-9>
- [9] Luna, L. L. (2021). Salud pública y big data: COVID-19. Reflexión jurídica sobre la normativa de datos de salud y de aplicación de herramientas big data en el ámbito de la investigación biomédica y de la asistencia sanitaria. *DS: Derecho y salud*, 31(1), 6-21. <https://dialnet.unirioja.es/servlet/articulo?codigo=8136584>
- [10] Copete, A. F. L., Martinez, L. R., & Gómez, D. A. R. (2023). Aplicación de big data en sistemas de salud pública. *Publicaciones e Investigación*, 17(1). <https://doi.org/10.22490/25394088.6446>
- [11] Rosa, J. M., & Frutos, E. L. (2022). Ciencia de datos en salud: desafíos y oportunidades en América Latina. *Revista Médica Clínica Las Condes*, 33(6), 591-597. <https://doi.org/10.1016/j.rmcl.2022.09.007>
- [12] Lasso Cardona, L. A., Franco Ocampo, D. F., & Estrada Esponda, R. D. (2022). Aplicaciones de la Datificación y Big Data en América Latina entre el 2015 y 2019. *Revista Logos Ciencia & Tecnología*, 14(2), 125-143. <http://dx.doi.org/10.22335/rlct.v14i2.1594>
- [13] Curioso, W. H. (2019). Building capacity and training for digital health: Challenges and opportunities in latin america. *Journal of Medical Internet Research*, 21(12), e16513. <https://doi.org/10.2196/16513>
- [14] Farias, M. A., Badino, M., Marti, M., Báscolo, E., García Saisó, S., & D'Agostino, M. (2023). La transformación digital como estrategia para el fortalecimiento de las funciones esenciales de salud pública en las Américas. *Revista Panamericana de Salud Pública*, 47, e150. <http://dx.doi.org/10.26633/RPSP.2023.150>
- [15] Serna-Trejos, J. S., Bermúdez-Moyano, S. G., & Leon-Giraldo, H. (2023). Big Data en ciencias de la salud: Aspectos importantes: Big Data in health sciences: Important issues. *Peruvian Journal of Health Care and Global Health*, 7(1). <https://revista.uch.edu.pe/index.php/hgh/article/view/228>
- [16] Guayasamín, L. G. S., Sarabia, C. A. S., Orozco, G. S. S., & Orellana, Z. M. R. (2024). Tendencias actuales en la epidemiología de enfermedades infecciosas emergentes: Lecciones aprendidas de la pandemia de COVID-19. *Revista Imaginario Social*, 7(3). <https://doi.org/10.59155/is.v7i3.223>
- [17] Lu, W., Todhunter-Reid, A., Mitsdarffer, M. L., Muñoz-Laboy, M., Yoon, A. S., & Xu, L. (2021). Barriers and facilitators for mental

- health service use among racial/ethnic minority adolescents: a systematic review of literature. *Frontiers in public health*, 9, 641605. <https://doi.org/10.3389/fpubh.2021.641605>
- [18] Chianumba, E. C., Ikhalea, N. U. R. A., Mustapha, A. Y., Forkuo, A. Y., & Osamika, D. A. M. I. L. O. L. A. (2021). A conceptual framework for leveraging big data and AI in enhancing healthcare delivery and public health policy. *IRE Journals*, 5(6), 303-310. https://www.researchgate.net/publication/390764695_A_Conceptual_Framework_for_Leveraging_Big_Data_and_AI_in_Enhancing_Healthcare_Delivery_and_Public_Health_Policy
- [19] Bauskar, S. R., Madhavaram, C. R., Galla, E. P., Sunkara, J. R., & Gollangi, H. K. (2022). Predicting disease outbreaks using AI and Big Data: A new frontier in healthcare analytics. *European Chemical Bulletin. Green Publication*. <https://doi.org/10.53555/ecb.v11.i12.17745>.
- [20] McGill, E., Er, V., Penney, T., Egan, M., White, M., Meier, P., ... & Petticrew, M. (2021). Evaluation of public health interventions from a complex systems perspective: a research methods review. *Social science & medicine*, 272, 113697. <https://doi.org/10.1016/j.socscimed.2021.113697>
- [21] Gomes, M., Murray, E., & Raftery, J. (2022). Economic evaluation of digital health interventions: methodological issues and recommendations for practice. *Pharmacoeconomics*, 40(4), 367-378. <https://doi.org/10.1007/s40273-022-01130-0>
- [22] Klaic, M., Kapp, S., Hudson, P., Chapman, W., Denehy, L., Story, D., & Francis, J. J. (2022). Implementability of healthcare interventions: an overview of reviews and development of a conceptual framework. *Implementation Science*, 17(1), 10. <http://dx.doi.org/10.1186/s13012-021-01171-7>
- [23] Gentili, A., Failla, G., Melnyk, A., Puleo, V., Tanna, G. L. D., Ricciardi, W., & Cascini, F. (2022). The cost-effectiveness of digital health interventions: a systematic review of the literature. *Frontiers in Public Health*, 10, 787135. <https://doi.org/10.3389/fpubh.2022.787135>
- [24] Zah, V., Burrell, A., Asche, C., & Zrubka, Z. (2022). Paying for digital health interventions—what evidence is needed?. *Acta Polytechnica Hungarica*, 19(9), 179-199. <http://dx.doi.org/10.12700/APH.19.9.2022.9.10>
- [25] Hassan, M., Awan, F. M., Naz, A., deAndrés-Galiana, E. J., Alvarez, O., Cernea, A., ... & Kloczkowski, A. (2022). Innovations in genomics and big data analytics for personalized medicine and health care: a review. *International journal of molecular Sciences*, 23(9), 4645. <https://doi.org/10.3390/ijms23094645>
- [26] Norori, N., Hu, Q., Aellen, F. M., Faraci, F. D., & Tzovara, A. (2021). Addressing bias in big data and AI for health care: A call for open science. *Patterns*, 2(10). <https://doi.org/10.1016/j.patter.2021.100347>
- [27] Atalla, M., Pinto, A. J., Mielke, G. I., Benatti, F. B., & Gualano, B. (2019). Impact of a real-world lifestyle intervention in an entire latin american city with more than 50,000 people. *Obesity*, 27(12), 1967-1974. <https://doi.org/10.1002/oby.22575>
- [28] Borges do Nascimento, I. J., Marcolino, M. S., Abdulazeem, H. M., Weerasekara, I., Azzopardi-Muscat, N., Gonçalves, M. A., & Novillo-Ortiz, D. (2021). Impact of big data analytics on people's health: Overview of systematic reviews and recommendations for future studies. *Journal*

- of medical Internet research, 23(4), e27275.
<http://dx.doi.org/10.2196/27275>
- [29] Sreedevi, A. G., Harshitha, T. N., Sugumaran, V., & Shankar, P. (2022). Application of cognitive computing in healthcare, cybersecurity, big data and IoT: A literature review. *Information Processing & Management*, 59(2), 102888.
<http://dx.doi.org/10.1016/j.ipm.2022.102888>
- [30] Cozzoli, N., Salvatore, F. P., Faccilongo, N., & Milone, M. (2022). How can big data analytics be used for healthcare organization management? Literary framework and future research from a systematic review. *BMC health services research*, 22(1), 809.
<https://doi.org/10.1186/s12913-022-08167-z>
- [31] Iyamu, I., Gómez-Ramírez, O., Xu, A. X., Chang, H. J., Watt, S., Mckee, G., & Gilbert, M. (2022). Challenges in the development of digital public health interventions and mapped solutions: findings from a scoping review. *Digital health*, 8, 20552076221102255.
<https://doi.org/10.1177/20552076221102255>
- [32] Molina, Y., Iglesias, J. G., & Montesinos, L. (2024). A data-driven approach on COVID-19 restrictions and its effectiveness in Latin America. 2024 IEEE 37th International Symposium on Computer-Based Medical Systems (CBMS), 176–181.
<https://doi.org/10.1109/CBMS61543.2024.00037>
- [33] Espinel-Flores, V., Vargas, I., Samico, I., Eguiguren, P., Mogollón-Pérez, A., López, J., Bertolotto, F., & Vázquez Navarrete, M. L. (2020). Effectiveness of interventions related to continuity of health care in five Latin America countries. *European Journal of Public Health*, 30(Supplement 5), ckaa166.513.
<https://doi.org/10.1093/eurpub/ckaa166.513>
- [34] Read, A., Lutgens, D., & Malla, A. (2023). A descriptive overview of mental health services offered in post-secondary educational institutions across Canada. *The Canadian Journal of Psychiatry*, 68(2), 101-108.
<https://doi.org/10.1177/07067437221128168>
- [35] Utomo, J., Rukmana, A. Y., Andarmoyo, S., & Anurogo, D. (2023). The Effect of Education, Income, and Access to Health Services on the Quality of Life of the Elderly in West Java. *West Science Social and Humanities Studies*, 1(05), 227-235.
<https://pdfs.semanticscholar.org/a8e6/b6260c73e67afa73c2228d50a679e0fd6402.pdf>
- [36] Valery, P. C., Bernardes, C. M., Hayward, K. L., Hartel, G., Haynes, K., Gordon, L. G., ... & Powell, E. E. (2022). Poor disease knowledge is associated with higher healthcare service use and costs among patients with cirrhosis: an exploratory study. *BMC gastroenterology*, 22(1), 340.
<https://doi.org/10.1186/s12876-022-02407-6>
- [37] Karam, M., Chouinard, M. C., Poitras, M. E., Couturier, Y., Vedel, I., Grgurevic, N., & Hudon, C. (2021). Nursing care coordination for patients with complex needs in primary healthcare: a scoping review. *International journal of integrated care*, 21(1), 16.
<https://doi.org/10.5334/ijic.5518>
- [38] Swan, D., & Connolly, D. (2023). Driving improvements in the quality, safety, consistency and coordination of care and support for children using health and social care services, through the collaborative development of national standards. *International Journal of Integrated Care*, 23(S1).
<http://dx.doi.org/10.5334/ijic.ICIC23208>
- [39] Liow, M. H. L., Lee, L. C., Tan, N. C. K., Tan, H. K., Chow, W., Wee, G. L. E., ... & Ling, M. L. (2022). Personal protective equipment

training for non-healthcare workers in the Covid-19 pandemic: effectiveness of an evidence-based skills training framework. *Infection, disease & health*, 27(1), 38-48. <https://doi.org/10.1016/j.idh.2021.09.040>

- [40] Nekar, D. M., Kang, H., Alao, H., & Yu, J. (2022). Feasibility of using multiplayer game-based dual-task training with augmented reality and personal health record on social skills and cognitive function in children with autism. *Children*, 9(9), 1398. <https://doi.org/10.3390/children9091398>

- [41] Du, G., Liu, Z., & Lu, H. (2021). Application of innovative risk early warning mode under big data technology in Internet credit financial risk assessment. *Journal of Computational and Applied Mathematics*, 386, 113260. <http://dx.doi.org/10.1016/j.cam.2020.113260>

Contribution of Individual Authors to the Development of a Scientific Article (Ghostwriting Policy)

All authors participated equally in the development of the article.

Sources of Funding for the Research Presented in the Scientific Article or for the Scientific Article Itself

No funding was received for this study.

Conflicts of Interest

The authors declare no conflicts of interest relevant to the content of this article.

Creative Commons Attribution 4.0 International License (CC BY 4.0)

This article is published under the terms of the Creative Commons Attribution 4.0 International License.

<https://creativecommons.org/licenses/by/4.0/deed.es>